

Office of the Vice President  
and Chief Financial Officer  
Finance and Accounting Division  
*Purchasing and Disbursement Services*  
<http://purchasing.ufl.edu/>

102 Elmore Hall  
PO Box 115250  
Gainesville, FL 32611-5250  
352-392-1331  
352-392-8837 Fax

September 24, 2009


ADDENDUM NUMBER 4 ON INVITATION TO BID ITB10MB-107YC

**TITLE: Continuing Minor Projects Annual Contract for General Contractors**

This addendum shall be considered part of the Contract Documents for the above mentioned project as though it had been issued at the same time and incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original Contract documents, this addendum shall govern and take precedence. Bidders are hereby notified that they shall acknowledge receipt of the addendum.

The mandatory pre-bid meeting was held September 8, 2009 at 10:00 AM in the Purchasing and Disbursement Services, Elmore Hall, Room 102, Radio Road, Gainesville, Florida. **The bid opening has will be October 2, 2009 at 10:00 AM in Elmore Hall, Room 102, Radio Road, Gainesville, Florida.**

- Replace Section 00310 with revised Section 00310 to include missing part number 6652, 8114-8713.
- Revise Excel attachment "A" to include missing part number 6652, 8114-8713.



Mercedes Bongiovanni  
Purchasing Coordinator II

**PLEASE ACKNOWLEDGE RECEIPT OF ADDENDUM AND RETURN WITH YOUR BID. FAILURE TO ACKNOWLEDGE YOUR ADDENDUM COULD CONSTITUTE REJECTION OF YOUR BID.**

\_\_\_\_\_  
VENDOR NAME

\_\_\_\_\_  
VENDOR ADDRESS

\_\_\_\_\_  
SIGNATURE

SECTION 00310 - BID PROPOSAL (Revised 9/22)

The following pages of this Section shall be utilized for submission of a Bid Proposal for this Contract.

---

---

**FROM:**

\_\_\_\_\_  
(Name of Bidder)

**TO:**

UNIVERSITY OF FLORIDA  
PURCHASING DIVISION  
Elmore Hall (UF Building #465)  
Room 102, Radio Road  
Gainesville, Florida 32611

To Whom It May Concern:

The undersigned, hereinafter called "Respondent", having read the Documents for the Project entitled:

PROJECT DIRECTORY  
UNIVERSITY OF FLORIDA

***CONTINUING MINOR PROJECTS ANNUAL CONTRACT***

***ITB010MB-107YC***

And having visited the University of Florida campus, and being familiar with all conditions affecting and governing the construction of the Projects, hereby proposes to furnish unit prices for components and services to be provided for the proper execution and completion of these Projects in accordance with the drawings and specifications that will be issued by various UF Facility Departments for each project, and all other documents relating thereto on file in the Division of Purchasing, and, if awarded the Contract, to complete the said Work of each project within the time limits set by the U. F. Project Manager for each individual project, for the sums as enumerated on this and the following pages:

Note: The following Unit Prices for all materials and labor costs shall include all Contractor and Subcontractor Overhead and Profit.

No additional percentage multipliers for Overhead and Profit will be allowed for line items in the Contractor's List of Unit Prices. For specialty items not covered under the List of Unit Prices, see Section 01017 of this Project Directory, Subparagraph 2.9.

<b>LIST OF UNIT PRICES</b>			
<b>ITEM</b>	<b>DESCRIPTION</b> (L = LABOR TO INSTALL/CONSTRUCT, M = MATERIALS)	<b>UNIT</b>	<b>DOLLARS</b>
<b>01710</b>	<b>CLEANING</b>		
01711	STRIPPING OF VINYL FLOORING AND APPLICATION OF 3 COATS OF HIGH QUALITY COMMERCIAL FLOOR POLISH; L/M	S.F.	
01712	FINAL CLEANING PER SPECIFICATIONS	S.F.	
<b>01760</b>	<b>INSTALLED CONSTRUCTION PROTECTION</b>		
01761	TEMPORARY 2 X 4 AND ½" PAINTED PLYWOOD PARTITION; L/M	S.F.	
01762	ORANGE PLASTIC GRID BARRIER W/ SUPPORT DEVICES; L/M	L.F.	
<b>02210</b>	<b>DEMOLITION</b>		
02111	TRASH REMOVAL ( TRANSPORTATION TO DUMP SITE )	TON	
02112	DUMP FEES	TON	
02113	DEMOLITION OF 3-5/8" STL. STUD/DRYWALL PARTITION; L/	S.F.	
02114	DEMOLITION OF 4" CONCRETE BLOCK PARTITION; L/	S.F.	
02115	DEMOLITION OF 6" CONCRETE BLOCK PARTITION; L/	S.F.	
02116	DEMOLITION OF 8" CONCRETE BLOCK PARTITION; L/	S.F.	
02117	DEMOLITION OF PAINTED DRYWALL CEILING; L/	S.F.	
02118	DEMOLITION OF PLASTER AND METAL LATH CEILING; L/	S.F.	
02119	DEMOLITION OF SUSPENDED ACOUSTICAL CEILING; L/	S.F.	
02120	REMOVAL OF CARPET ( GLUE-DOWN )	S.F.	
02121	DEMOLITION OF RESILIENT FLOORING, NON-ASBESTOS	S.F.	
02123	DEMOLITION OF CERAMIC TILE FLOORING ( THIN SET ); L/	S.F.	
02124	DEMOLITION OF CERAMIC TILE FLOORING ( THICK SET ) AND LEVEL FLOOR; L/M	S.F.	
02125	DEMOLITION OF RIGID GALV. STEEL DUCT, MAX. 12" X 18"; L/	L.F.	
02126	DEMOLITION OF FLEXIBLE DUCT, MAX. 12" DIAM; L/	L.F.	
02127	DEMOLITION OF EXPOSED CONDUIT/WIREMOLD & WIRE; L/	L.F.	
02128	REMOVAL OF 2' X 4' FLUORESCENT LIGHT FIXTURE FROM SUSP. ACOUST. CEIL'G; L/	EACH	
02129	REMOVAL OF INCANDESC. LIGHT FIXTURE FROM PLASTER OR DRYWALL CEIL'G; L/	EACH	
02130	DEMOLITION OF 4" THICK CONCRETE SLAB OR SIDEWALK; L/	S.F.	
02131	DEMOLITION OF 6" THICK CONCRETE SLAB OR SIDEWALK; L/	S.F.	

02132	DEMOLITION OF 4" X 8" BRICK WALL (NO SCAFFOLDING); L/	S.F.	
<b>04200</b>	<b>MASONRY</b>		
04201	NEW 4" CONCRETE BLOCK PARTITION; L/M	S.F.	
04202	NEW 6" CONCRETE BLOCK PARTITION; L/M	S.F.	
04203	NEW 8" CONCRETE BLOCK PARTITION; L/M	S.F.	
04204	NEW 8' HIGH STANDARD 4" X 8" U.F. RED FACE BRICK WALL; L/M	S.F.	
04205	NEW 4' HIGH STANDARD 4" X 8" U.F. RED FACE BRICK WALL; L/M	S.F.	
<b>06400</b>	<b>WOOD AND PLASTICS</b>		
6401	BASE CABINET WITH DOORS AND TOP – 24" DEPTH PLASTIC LAMINATE ON 3/4" A/C EXTERIOR PLYWOOD W/ 4" BACKSPLASH (AWI CUSTOM GRADE); L/M	L.F.	
6402	BASE CABINET WITH DOORS AND TOP – 30" DEPTH PLASTIC LAMINATE ON 3/4" A/C EXTERIOR PLYWOOD W/ 4" BACKSPLASH (AWI CUSTOM GRADE); L/M	L.F.	
<b>06600</b>	<b>SOLID PHENOLIC LABORATORY COUNTERTOPS</b>		
06650	30" DEPTH X 1" THICK TRESPA LABORATORY COUNTERTOP, INSTALLED; L/M	L.F.	
<b>06650</b>	<b>SOLID POLYMER FABRICATIONS</b>		
06651	COMPOSITE VANITY COUNTERTOP, 3/4:" THICK X 22" DEEP WITH 4" BACKSPLASH AND 6" HEIGHT APRON OF SAME MATERIAL; L/M	L.F.	
06652	13" x 19" OVAL VITREOUS CHINA SINK, SELF RIMMING, UNDERMOUNTED IN COMPOSITE VANITY COUNTERTOP, EXCLUDING PLUMBING FIXTURES AND PIPING ( AMERICAN STANDARD "AQUALYN" OR EQUAL ); L/M	EACH	
<b>07000</b>	<b>THERMAL AND MOISTURE PROTECTION</b>		
07001	4" UNFACED FIBERGLASS BATT WALL INSULATION; L/M	S.F.	
07002	6" FOIL FACED FIBERGLASS BATT CEILING INSULATION; L/M	S.F.	
<b>08110</b>	<b>METAL DOOR FRAMES</b>		
08111	3' X 7', 16 GA. H.M. DOOR FRAME GROUTED INTO 8" CONC. BLOCK PARTITION INCLUDING PRECAST CONCRETE LINTEL; L/M	EACH	
08112	3' X 7', 16 GA. H.M. DOOR FRAME INTO 3-5/8" MTL. STUD/5/8" DRYWALL PARTITION; L/M	EACH	
08113	3' X 7', 16 GA. H.M. DOOR FRAME INTO AN EXISTING 3-5/8" MTL. STUD/5/8" DRYWALL PARTITION, INCLUDING CUTTING AND FRAMING OPENING; L/M	EACH	
08114	3' X 7', 16 GA. H.M. DOOR FRAME INTO AN EXISTING 4" MTL. STUD/5/8" DRYWALL PARTITION, INCLUDING CUTTING AND FRAMING OPENING; L/M	EACH	
08115	3' X 7', 16 GA. H.M. DOOR FRAME WITH 1'-6" X 7' SIDE LITE WITH HORIZONTAL MULLION AND TEMPERED GLASS INTO 3-5/8" MTL. STUD/5/8" DRYWALL PARTITION; L/M	EACH	
<b>08150</b>	<b>METAL DOORS</b>		
08151	3' X 7' HOLLOW METAL INSULATED EXTERIOR DOOR	EACH	
08152	3' X 7' HOLLOW METAL DOOR W/ 100SQ. IN. LITE; L/M	EACH	

08153	3' X 7' CLEAR ANODIZED ALUMINUM STOREFRONT DOOR AND FRAME WITH TEMPERED GLASS; L/M	EACH	
<b>08210</b>	<b>WOOD DOORS</b>		
08211	3' X 7' FLUSH OAK S.C. WOOD DOOR; L/M	EACH	
08212	3' X 7' FLUSH PAINT GRADE S.C. WOOD DOOR; L/M	EACH	
08213	3' x 7' FLUSH BIRCH S.C. WOOD DOOR TO MATCH EXISTING; L/M	EACH	
<b>08220</b>	<b>WOOD DOOR FRAMES</b>		
08221	3' X 7' PINE WOOD DOOR JAMB & TRIM INTO 8" CONC. BLOCK PARTITION INCLUDING PRECAST CONCRETE LINTEL; L/M	EACH	
08222	3' X 7' SOLID RED OAK WOOD DOOR JAMB & 4" TRIM WITH ¾" X 1-1/2" HALF ROUND BORDER, BOTH SIDES INTO 3-5/8" MTL STUD/5/8" DRYWALL PARTITION; L/	EACH	
<b>08700</b>	<b>DOOR HARDWARE</b>		
08701	HINGES: STANLEY F179, 4-1/2" X 4-1/2", US26D,1-1/2 PR.; L/M	EACH	
08702	HINGES: STANLEY FBB179, 4-1/2" X 4-1/2", US26D,1-1/2 PR.; L/M	EACH	
08703	MORTISE LOCKSET: CORBIN/RUSSWIN ML-2251 LWA, US26D; L/M	EACH	
08704	MORTISE LOCKSET: CORBIN/RUSSWIN ML-2251, LWA", US32D; L/M	EACH	
08705	MORTISE LOCKSET: CORBIN/RUSSWIN ML-2251, NSN", US26D; L/M	EACH	
08706	MORTISE LOCKSET: CORBIN/RUSSWIN ML-2255, NSN", US26D; L/M	EACH	
08707	MORTISE LOCKSET: CORBIN/RUSSWIN ML-2257, NSN", US26D; L/M	EACH	
08708	MORTISE LOCKSET: SARGENT 8204 WTL US26D; L/M	EACH	
08709	MORTISE LOCKSET: SARGENT 8255 WTL US26D; L/M	EACH	
08710	MORTISE LOCKSET: SARGENT 8204 WTL US10B; L/M	EACH	
08711	MORTISE LOCKSET: SARGENT 8255 WTL US10; L/M	EACH	
08712	LOCK CYLINDER: CORBIN/RUSSWIN 6 OR 7 PIN W/ 3 BLANK KEYS; L/M	EACH	
08713	LOCK CYLINDER; SARGENT 6 OR 7 PIN W/ 3 BLANK KEYS; L/M	EACH	
08714	CLOSER: LCN 4041 PA ALUMINUM OR DARK BRONZE FINISH "SUPER SMOOTHIEE" WITH THRU-BOLTS; L/M	EACH	
08715	CLOSER: LCN 4642 (ADA ELECTRIC) ; L/M	EACH	
08716	EXIT DEVICE: VON-DUPRIN 9927 WITH PULL; L/M	EACH	
08717	EXIT DEVICE: VON-DUPRIN 9975L WITH LEVER HANDLE; L/M	EACH	
08718	EXIT DEVICE: SARGENT 88 SERIES ETL, US26D; L/M	EACH	
08719	EXIT DEVICE: SARGENT 88 SERIES ETL, US10B; L/M	EACH	
08720	VIEW LITES: 4" X 25" TEMPERED GLASS IN PAINTED STEEL FRAME; L/M	EACH	
08721	VIEW LITES: 6" X 25" TEMPERED GLASS IN PAINTED STEEL FRAME; L/M	EACH	
08722	VIEW LITES: 24" X 36" TEMPERED GLASS IN PAINTED STEEL FRAME; L/M	EACH	

08723	KICK PLATE: 8" X 35", PARKER KPSS, 20 GA. US32D; L/M	EACH	
08724	DOOR STOP: FLOOR-MOUNT, PARKER 13HDCH, US26D; L/M	EACH	
08725	THRESHOLD: 6" X 36" X 1/2", PEMKO #172A, US26D; L/M	EACH	
<b>09110</b>	<b>FURRING AND LATHING</b>		
09111	7/8", 20 GA. METAL FURRING CHANNELS @ 16" O.C.; L/M	L.F.	
<b>09215</b>	<b>GYPSUM PLASTER</b>		
09216	3-5/8", 20 GA. METAL STUD PARTITION W/ 5/8" GYPSUM BASE & VENEER PLASTER; L/M	S.F.	
09217	5/8" GYPSUM BASE & VENEER PLASTER OVER METAL FURRING; L/M	S.F.	
<b>09250</b>	<b>GYPSUM WALLBOARD</b>		
09251	3-5/8", 20 GA. METAL STUD PARTITION W/ 5/8" TYPE X GYPSUM DRYWALL; L/M	S.F.	
09252	4", 20 GA. METAL STUD PARTITION W/ 5/8" TYPE X GYPSUM DRYWALL; L/M	S.F.	
09253	1/2" GYPSUM DRYWALL LAMINATED TO EXISTING PAINTED CONC. BLOCK; L/M	S.F.	
09254	1/2" GYPSUM DRYWALL OVER METAL FURRING; L/M	S.F.	
09255	5/8" TYPE X GYPSUM DRYWALL METAL FURRING; L/M	S.F.	
<b>09300</b>	<b>CERAMIC TILE</b>		
09301	2" X 2" UNGLAZED CERAMIC TILE FLOOR ON CONCRETE SLAB W/LATEX THIN-SET MORTAR; L/M	S.F.	
09302	6" X 6" UNGLAZED CERAMIC FLOOR TILE ON CONCRETE SLAB W/ LATEX THIN-SET MORTAR; L/M	S.F.	
09303	4-3/8" X 4-3/8" MATTE GLAZED CERAMIC TILE AND BASE ON 1/2" DUROCK OR TILE BACKING BOARD W/ LATEX THIN-SET MORTAR; L/M	S.F.	
09304	4-3/8" X 4-3/8" MATTE GLAZED CERAMIC TILE AND BASE ON THICK-SET PORTLAND CEMENT MORTAR; L/M	S.F.	
<b>09510</b>	<b>ACOUSTICAL CEILINGS</b>		
09511	24" X 24" X 5/8" ARMSTRONG "FIREGUARD" NON-DIRECTIONAL FISSURE PATTERN NO. 896 WITH SQUARE EDGE CORTEGA #824 OR EQUIV. U.S.G. OR CELOTEX IN 15/16" FIRE-RATED "FIREGUARD" STEEL GRID SYSTEM; L/M	S.F.	
09512	24" X 24" X 5/8" ARMSTRONG "FIREGUARD" NON-DIRECTIONAL FISSURE PATTERN NO. 896 WITH REVEAL EDGE, CORTEGA #824 OR EQUIV. U.S.G. OR CELOTEX IN 15/16" FIRE-RATED "FIREGUARD" STEEL GRID SYSTEM; L/M	S.F.	
09513	24" X 24" X 5/8" ARMSTRONG "FIREGUARD CIRRUS" PATTERN NO. 578 OR EQUIV. U.S.G. OR CELOTEX IN 15/16" FIRE-RATED "FIREGUARD" STEEL GRID SYSTEM; L/M	S.F.	
09514	2' X 2' SUSPENSION GRID, HEAVY DUTY WITH WHITE EXPOSED TEE, 15/16" WIDE, FIRE RATED (DONN, CHICAGO METALLIC, ARMSTRONG OR EQUAL); L/M	S.F.	
<b>09530</b>	<b>ACOUSTICAL INSULATION</b>		
09531	THERMAFIBER SOUND ATTENUATION BLANKET (2"); L/M	S.F.	
<b>09650</b>	<b>RESILIENT TILE FLOORING</b>		
09651	AZROCK "CUSTOM CORTINA" 12" x 12" x 1/8" VINYL TILE; L/M	S.F.	

09652	ARMSTRONG 12" X 12" X 1/8" PREMIUM "STONETEX" VINYL TILE; L/M	S.F.	
09653	TARKETT "BASIC STRUCTURES", "CLASSICS", OR "PREMIUM" L/M	S.F.	
09654	MERCER 4" RESILIENT COVE BASE; L/M	L.F.	
<b>09920</b>	<b>PAINTING</b>		
09921	NEW CONC. BLOCK, PLASTER & DRYWALL - SEMI-GLOSS: 1 COAT PRIMER, 2 COATS SEMI-GLOSS LATEX ENAMEL; L/M	S.F.	
09922	NEW CONC. BLOCK, PLASTER OR DRYWALL - GLOSS: 1 COAT PRIMER, 2 COATS ALKYD ENAMEL; L/M	S.F.	
09923	NEW CONC. BLOCK, PLASTER OR DRYWALL - PRIMER FOR VINYL WALLCOVERING:1 COAT QUICK DRY OIL BASED ENAMEL; L/M	S.F.	
09924	RE-PAINT EXISTING WALLS - SEMI-GLOSS: 1 COAT LATEX ENAMEL; L/M	S.F.	
09925	3' X 7' WOOD DOORS – SEMI-GLOSS: 1 COAT ENAMEL UNDERCOATER, 2 COATS INDUSTRIAL ALKYD LO-LUSTRE ENAMEL; L/M	EACH	
09926	3' X 7' WOOD DOORS – NATURAL FINISH: 1 COAT SEALER, 2 COATS POLYURETHANE GLOSS CLEAR VARNISH; L/M	EACH	
09927	3' X 7' GALVANIZED METAL DOORS - SEMI-GLOSS: 1 COAT ENAMEL UNDERCOATER, 2 COATS LOW-LUSTRE ENAMEL; L/M	EACH	
09928	3' X 7' HOLLOW METAL FRAME - SEMI-GLOSS: 1 COAT ENAMEL UNDERCOATER, 2 COATS LOW-LUSTRE ENAMEL; L/M	EACH	
09929	4" – 6" WOOD TRIM - SEMI-GLOSS: 1 COAT ENAMEL UNDERCOATER, 2 COATS LOW-LUSTRE ENAMEL; L/M	L.F.	
09930	4" – 6" WOOD TRIM – NATURAL FINISH: 1 COAT PRIMER-SEALER, 2 COATS SATIN POLYURETHANE GLOSS CLEAR VARNISH; L/M	L.F.	
09931	SPECIAL COATING: PPG 97-51 AND 9751 EPOXY; L/M	S.F.	
<b>10155</b>	<b>TOILET COMPARTMENTS</b>		
10155	2 SIDED SOLID PLASTIC TOILET COMPARTMENT, 1" THICK, 36" WIDE X 66" DEEP, FLOOR MOUNTED WITH STAINLESS STEEL HARDWARE AND FASTENERS, DOOR AND DOOR HARDWARE; L/M	EACH	
<b>10260</b>	<b>WALL AND CORNER GUARDS</b>		
10261	TYPE 304 SATIN FINISH STAINLESS STEEL 3-1/2" X 48" CORNER GUARD WITH STAINLESS STEEL FASTENERS; L/M	EACH	
10262	ACROVYN SM-10/20 OR EQUAL 3" X 48" CORNER GUARD WITH TOP CAP; L/M	EACH	
<b>10800</b>	<b>TOILET, BATH AND LAUNDRY ACCESSORIES</b>		
10801	STAINLESS STEEL GRAB BAR, 42" LONG, 1-1/2" DIAMETER, WITH STAINLESS STEEL FASTENERS; L/M	EACH	
<b>13850</b>	<b>DETECTION AND ALARM</b>		
13851	RELOCATE EXISTING HEAT OR SMOKE DETECTOR ( WITHIN 15' OF EXISTING LOCATION ), INCLUDING CERTIFICATION; L/M	EACH	
13852	SIMPLEX MAPNET II PHOTOELECTRIC SMOKE DETECTOR, INCLUDING CERTIFICATION; L/M	EACH	
13853	SIMPLEX RATE OF RISE HEAT DETECTOR, INCLUDING CERTIFICATION; L/M	EACH	
13854	COMBINATION HORN AND STROBE DEVICE, INCLUDING CERTIFICATION; L/M	EACH	

<b>15100</b>	<b>PIPING</b>		
15101	3/4" POLYPROPYLENE PIPING; L/M	L.F.	
15102	1-1/2" POLYPROPYLENE PIPING; L/M	L.F.	
15103	1-1/2" CAST IRON PIPING: L/M	L.F.	
15104	1/2" TYPE "L" COPPER TUBING; L/M	L.F.	
15105	3/4" TYPE "L" COPPER TUBING; L/M	L.F.	
15106	1" TYPE "L" COPPER TUBING; L/M	L.F.	
<b>15300</b>	<b>FIRE PROTECTION</b>		
15301	RELOCATION OF FIRE SPRINKLER HEADS ( WITHIN 6' OF EXISTING LOCATIONS ); L/M	EACH	
15302	RELOCATION OF FIRST HEAD; L/M	EACH	
15303	RELOCATION OF EACH HEAD THEREAFTER; L/M	EACH	
<b>15400</b>	<b>PLUMBING FIXTURES &amp; TRIM</b>		
15401	HOT & COLD WATER FAUCET: CHICAGO FAUCET #930 SINK FITTING W/ VACUUM BREAKER & E7 SERRATED NOZZLE; L/M	EACH	
15402	HOT & COLD WATER SUPPLIES: CHICAGO FAUCET # 1006 STOP W/ #994 ANGLE VALVE; L/M	EACH	
15403	GAS, AIR, VAC. FITTINGS (DECK-MOUNTED, DOUBLE): KEWAUNEE # W-0266-00, OR CHICAGO FAUCET # 981-907; L/M	EACH	
15404	GAS, AIR VAC. FITTINGS (CURB-MOUNTED), DOUBLE: KEWAUNEE #W-0286-02, OR CHICAGO FAUCET #987-907; L/M	EACH	
15405	ISOLATION VALVES: APOLLO #80-100 SERIES "YRPV"; L/M	EACH	
15406	EMERGENCY SHOWER AND EYE WASH: BRADLEY MODEL S19-310BF OR SPEAKMAN SE-690-WCH-AL3; L/M	EACH	
15407	RECESSED EMERGENCY SHOWER AND EYEWASH (IN 3-5/8" STEEL STUD WALL); GUARDIAN EQUIPMENT MODEL GBF2160; L/M	EACH	
15408	STAINLESS STEEL SINK (16" X 16" X 7-1/2"); ELKAY LR-1922 W/ ELKAY #LK-2223 FAUCET AND ELKAY #LK-335 STRAINER; L/M	EACH	
15409	STAINLESS STEEL SINK (16" X13-1/2" X 10"); ELKAY DLR-1919-10W/ ELKAY #LK-2223 FAUCET AND ELKAY #LK-335 STRAINER; L/M	EACH	
15410	STAINLESS STEEL DOUBLE COMPARTMENT SINK (33" X 21" X 7-1/4"); ELKAY W/ ELKAY PSFR3321 W/ #LK811-AT08-L2 FAUCET W/ SPRAY AND #LK-335 STRAINERS; L/M	EACH	
15411	A.D.A. COMPLIANT WALL HUNG VITREOUS CHINA LAVATORY ( AMERICAN STANDARD "LUCERNE" OR EQUAL ), INCLUDING IN-WALL MOUNTING CHAIR AND EXCLUDING PLUMBING FIXTURES AND PIPING; L/M	EACH	
15412	A.D.A. COMPLIANT WALL HUNG VITREOUS CHINA FLUSH VALVE WATER CLOSET ( AMERICAN STANDARD OR EQUAL ), INCLUDING IN-WALL MOUNTING CHAIR AND EXCLUDING PLUMBING FIXTURES AND PIPING; L/M	EACH	
15413	A.D.A. COMPLIANT WALL HUNG VITREOUS CHINA URINAL ( AMERICAN STANDARD OR EQUAL ), INCLUDING IN-WALL MOUNTING CHAIR AND EXCLUDING PLUMBING FIXTURES AND PIPING; L/M	EACH	
<b>15414</b>	<b>WATER COOLERS AND DRINKING FOUNTAINS</b>		

15414	WALL HUNG WATER COOLER ( ELKAY "EBFSA 8" OR EQUAL ), NOT INCLUDING PLUMBING; L/M		EACH	
<b>15800</b>	<b>AIR CONDITIONING DUCTWORK</b>			
	<b>METAL DUCTWORK FOR HVAC SYSTEM. GALVANIZED W/1" EXTERNAL INSULATION. ASPECT RATIO: 2; L/M</b>			
	<b>CFM</b>	<b>LBS/FT.</b>		
15801	1000	4.25	L/M	L.F.
15802	2500	6.50	L/M	L.F.
15803	5000	8.75	L/M	L.F.
15804	8" DIAM. FLEXIBLE DUCTWORK W/ 1" THICK FIBERGLASS INSULATION IN ALUM. VAPOR BARRIER; L/M			L.F.
<b>15870</b>	<b>AIR CONDITIONING DEVICES</b>			
15871	SUPPLY DIFFUSER – PERFORATED FACE ALUM. IN 24" X 24" LAY-IN PANEL W/ ADJUST. DAMPER, METALAIRE PCS SERIES; L/M		EACH	
15872	RETURN GRILLE – PERFORATED FACE ALUM. IN 24" X 24" LAY-IN PANEL W/ADJUST. DAMPER, METALAIRE PCR SERIES; L/M		EACH	
<b>15900</b>	<b>CONTROLS</b>			
15901	RELOCATE THERMOSTAT - PNEUMATIC; L/M			L.F.
15902	RELOCATE THERMOSTAT - ELECTRICALLY WIRED; L/M			L.F.
15903	REPLACE EXISTING THERMOSTAT WITH JOHNSON T-4000; L/M		EACH	
<b>16120</b>	<b>WIRE &amp; CABLE</b>			
16121	1/2" E.M.T. IN NEW CONSTRUCTION; L/M			L.F.
16122	3/4" E.M.T. IN NEW CONSTRUCTION; L/M			L.F.
16123	1" E.M.T. IN NEW CONSTRUCTION; L/M			L.F.
16124	#8 WIRE PULLED INTO CONDUIT; L/M			L.F.
16125	#10 WIRE PULLED INTO CONDUIT; L/M			L.F.
16126	#12 WIRE PULLED INTO CONDUIT; L/M			L.F.
<b>16130</b>	<b>OUTLET BOXES</b>			
16131	SINGLE SWITCH/ OUTLET CONDUIT BOX WITH CONNECTION; L/M		EACH	
16132	DOUBLE SWITCH/OUTLET CONDUIT BOX WITH CONNECTION; L/M		EACH	
16133	ROUGH-IN ELECT. "J" BOX FOR LIGHT FIXTURE; L/M		EACH	
16134	ROUGH-IN ELECT. "J" BOX FOR ELECTRICAL JUNCTIONS; L/M		EACH	
16135	PLASTER RING IN 5/8" DRYWALL FOR COMPUTER, PHONE OUTLET; L/M		EACH	
16136	3/4" FLEXIBLE CONDUIT FROM ELECT. "J" BOX TO LIGHT FIXTURE; L/M		EACH	
<b>16140</b>	<b>SWITCHES AND RECEPTACLES</b>			
16141	1-WAY ELECTRICAL SWITCH IN WIREMOLD, SURFACE MOUNT BOX WITH COVER; L/M		EACH	

16142	3-WAY ELECTRICAL SWITCH IN WIREMOLD, SURFACE MOUNT BOX WITH COVER; L/M	EACH	
16143	1-WAY ELECTRICAL SWITCH IN EXISTING CONDUIT BOX W/ COVER; L/M	EACH	
16144	3-WAY ELECTRICAL SWITCH IN EXISTING CONDUIT BOX W/ COVER; L/M	EACH	
16145	DUPLEX OUTLET IN WIREMOLD, SURFACE MOUNT BOX W/ COVER; L/M	EACH	
16146	QUADRUPLEX OUTLET IN WIREMOLD, SURFACE MOUNT BOX W/ COVER; L/M	EACH	
16147	DUPLEX OUTLET IN EXISTING CONDUIT BOX W/COVER; L/M	EACH	
16148	QUADRUPLEX OUTLET IN EXISTING CONDUIT BOX W/ COVER; L/M	EACH	
16149	SURFACE MOUNTED WIREMOLD RACEWAY; L/M	L.F.	
<b>16510</b>	<b>LIGHTING FIXTURES</b>		
16511	12" X 48" RECESSED PARABOLIC FLUORESCENT FIXTURE W/ 1 T-8 LAMP & 6 CELLS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16512	24" X 48" RECESSED PARABOLIC FLUORESCENT FIXTURE W/ 2 T-8 LAMPS & 12 CELLS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16513	24" X 48" RECESSED PARABOLIC FLUORESCENT FIXTURE W/ 3 T-8 LAMPS & 18 CELLS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16514	24" X 48" RECESSED PARABOLIC FLUORESCENT FIXTURE W/ 4 T-8 LAMPS & 24 CELLS, 2 BALLASTS; LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16515	12" X 48" SURFACE MOUNT (ON GWB/PLASTER) PARABOLIC FLUORESCENT FIXTURE W/ 1 T-8 LAMP & 6 CELLS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16516	24" X 48" SURFACE MOUNT (ON GWB/PLASTER) PARABOLIC FLUORESCENT FIXTURE W/ 2 T-8 LAMPS & 12 CELLS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16517	24" X 48" SURFACE MOUNT (ON GWB/PLASTER) PARABOLIC FLUORESCENT FIXTURE W/ 3 T-8 LAMPS & 18 CELLS, 2 BALLASTS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16518	24" X 48" SURFACE MOUNT (ON GWB/PLASTER) PARABOLIC FLUORESCENT FIXTURE W/ 4 T-8 LAMPS & 18 CELLS, 2 BALLASTS, LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16519	12" X 48" SURFACE MOUNT (ON GWB/PLASTER) PRISMATIC FLUORESCENT FIXTURE W/ 1 T-8 LAMP; LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16520	24" X 48" SURFACE MOUNT (ON GWB/PLASTER) PRISMATIC FLUORESCENT FIXTURE W/ 2 T-8 LAMPS; LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16521	24" X 48" SURFACE MOUNT (ON GWB/PLASTER) PRISMATIC FLUORESCENT FIXTURE W/ 3 T-8 LAMPS; LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16522	24" X 48" SURFACE MOUNT (ON GWB/PLASTER) PRISMATIC FLUORESCENT FIXTURE W/ 4 T-8 LAMPS, 2 BALLASTS; LITHONIA OR EQUAL; 120 OR 277 VOLT; L/M	EACH	
16523	7" DIAM. RECESSED FLUORESCENT DOWNLIGHT W/ 2 - 9 WATT DL COMPACT FLUORESCENT LAMPS; L/M	EACH	
16524	EXIT SIGN WITH VOLTAGE SURGE PROTECTOR, COMPUTER POWER, INC. "ILLUMINATOR - XD" SERIES; L/M	EACH	

**NOTE:** Specialty items or any items not included in the above list of UNIT PRICES shall be submitted in accordance with Section 01017 entitled PROJECT ORDER SYSTEM, Paragraph 2.9; and with Section 00800 entitled SUPPLEMENTARY CONDITIONS, Paragraph 10.5.2

<b>LIST OF UNIT PRICES</b>			
<b>ITEM</b>	<b>LABOR (PRIME CONTRACTOR)</b>	<b>UNIT</b>	<b>DOLLARS</b>
0001	SUPERINTENDENT	HOUR	
0002	CARPENTER	HOUR	
0003	CARPENTER'S HELPER (APPRENTICE)	HOUR	
0004	LABORER	HOUR	
0005	CABINET INSTALLER	HOUR	
<b>ITEM</b>	<b>LABOR (SUB-CONTRACTOR)</b>	<b>UNIT</b>	<b>DOLLARS</b>
0006	WELDER	HOUR	
0007	PIPE FITTER	HOUR	
0008	HVAC MECHANIC	HOUR	
0009	HVAC MECHANIC'S HELPER (APPRENTICE)	HOUR	
0010	SHEET METAL MECHANIC	HOUR	
0011	SHEET METAL MECHANIC'S HELPER (APPRENTICE)	HOUR	
0012	PLUMBER	HOUR	
0013	PLUMBER'S HELPER (APPRENTICE)	HOUR	
0014	ELECTRICIAN	HOUR	
0015	ELECTRICIAN'S HELPER (APPRENTICE)	HOUR	
0016	MASON	HOUR	
0017	MASON'S HELPER (APPRENTICE)	HOUR	
0018	PAINTER	HOUR	
0019	PAINTER'S HELPER (APPRENTICE)	HOUR	
0020	PLASTERER	HOUR	
0021	PLASTERER'S HELPER (APPRENTICE)	HOUR	

**JOB COMPLEXITY MULTIPLIER**

Enter multiplier for complexity of work between the Health Science Center complex versus campus wide locations. If there is no difference, enter the number 1. This multiplier will not be used in the bid tabulation scoring but will be allowed in pricing of individual projects.

HEALTH SCIENCE CENTER PROJECTS

CAMPUS WIDE PROJECTS

**ATTACHMENT TO BID PROPOSAL**

BY: \_\_\_\_\_

FOR: \_\_\_\_\_  
(Company)

**MINORITY BUSINESS STATUS:**

The University of Florida is an equal opportunity institution and, as such, encourages the use of Minority Business Enterprises (MBE's) in the provision of construction related services. MBE's should have a fair and equal opportunity to compete for dollars spent by the University of Florida to procure construction related services. Competition ensures that prices are competitive and a broad vendor base is available. MBE related information shall be sent to the Division of Small Business and Vendor Diversity Relations, P. O. Box 115250, Elmore Hall, Room 106, Gainesville, Florida 32611, Attn: Ms. Faylene Welcome. Please do not include the information with any bid documents.

**ANTI-DISCRIMINATION:**

I have complied with requirements of the anti-discrimination clause as defined in these Specifications (See Section 00830).

Check One:     Yes             No

**PUBLIC ENTITY CRIMES:** (Revised 02/01/97)

My signature on the Bid Proposal attests to my understanding of, and adherence to the requirements of Florida Statute 287.133 as defined in these Specifications (See Section 00902).

Check One:             Yes             No

**ADDENDA:** The receipt of the following Addenda to the Construction Documents is acknowledged:

ADDENDUM # \_\_\_\_\_ Dated: \_\_\_\_\_

ADDENDUM # \_\_\_\_\_ Dated: \_\_\_\_\_

ADDENDUM # \_\_\_\_\_ Dated: \_\_\_\_\_

ADDENDUM # \_\_\_\_\_ Dated: \_\_\_\_\_

**FLORIDA CONSTRUCTION INDUSTRY LICENSING BOARD CERTIFICATION OR REGISTRATION (BY LOCAL BLOCK EXAMINATION) PLUS EVIDENCE OF STANDING IN ALACHUA COUNTY:**

\_\_\_\_\_  
*(Type or Print Name of Holder)*

I hereby certify that all statements and amounts herein made on behalf of,

\_\_\_\_\_  
*(Name of Bidding Contractor Firm)*

a (Corporation) (Partnership) (Individual) organized and existing under the laws of the State of Florida, are true and correct, that I have carefully prepared this Bid Proposal from Contract Documents described here-in-before, that I have examined Contract Documents and local conditions affecting execution of Work before submitting this Bid Proposal, that I have full authority to make such statements and submit this Bid Proposal in (its) (their) behalf.

\_\_\_\_\_  
*(Company Name)*

\_\_\_\_\_  
*Witness*

\_\_\_\_\_  
*By* *Title*

\_\_\_\_\_  
*Address* *City*

\_\_\_\_\_  
*Date*

\_\_\_\_\_  
*State* *Zip*

\_\_\_\_\_  
*Telephone*

END OF SECTION